

G*GRASS®

PRODUCT CATALOGUE

2021/2022 Volume 1

grass.eu

HINGE SYSTEMS
DRAWER SYSTEMS
FLAP SYSTEMS



G*GRASS®

PRODUCT CATALOGUE

QUALITY CERTIFICATE
LGA



TABLE OF CONTENTS

DRAWER

SYSTEMS

DWD XP	3
VIONARO	10
DYNAPRO SLIDE SYSTEM	13
DYNAMOOV TIPMATIC SLIDE SYSTEM	13
SENSOMATIC OPENING SYSTEM	16

HINGE

SYSTEMS

TIOMOS	17
NEXIS CLIP-ON	19
NEXIS SLIDE-ON	21

FLAP

SYSTEMS

KINVARO	26
---------	----



QUALITY CERTIFICATE
LGA

DWD XP DRAWER SYSTEM

The innovative drawer system with precision and individuality

DWD XP XP add-on drawer system and drawer slides offers the ideal solution for individual needs.

DWD XP means top level movement comfort. The extraordinary running performance of the DWD XP drawer

system and the elegant design of the double-wall drawer sides combine to form a comprehensive drawer system of the highest quality. Various colour options, different materials, design features and shapes, as well as numerous

high-quality add-on and organising systems - all harmoniously coordinated - these are the ingredients for individuality, comfort and lifestyle.

DWD XP can consists of the following components:

- Dynamic XP with Soft-close - the slide with smooth and soft movement
- DWP XP - excellently designed drawer sides
- Add-on systems, Variowing, Duowing, Solowing
- Dividing system Magic Optima, Magic Classic
- Organizing system Magic Sorto, Flexline and the wooden plug system

Installation & Specification



Certainly, the most pleasant way to close a drawer
Extremely busy in the kitchen? Don't worry. Soft-close will always close your drawer softly.

DWD XP Tipmatic Plus - the open-by-touch system for drawers without any handles.

Irrespective of where you tap the drawer front, the drawer will open gently and evenly.

After closing, DWP XP Tipmatic Plus will lock the drawer safely back into place.

Available in



Aluminium Metallic



Champagne



Stone

GRASS DWD XP DRAWER SYSTEM


DWD XP Standard Drawer



CODE	NL(MM)	LOADING(KG)	COLOR	PRICE(RM)
ALUMINIUM METALLIC				
STD1.AM	500	40	●	200
STD2.AM	500	60	●	265
STD3.AM	450	40	●	199
STD4.AM	400	40	●	197
STD5.AM	300	40	●	200
STONE				
STD1.STO	500	40	●	200
STD2.STO	500	60	●	265
STD3.STO	450	40	●	199
STD4.STO	400	40	●	197
STD5.STO	300	40	●	200
CHAMPAGNE - While Stocks Last				
STD1.CMP	500	40	●	200
STD2.CMP	500	60	●	265

Set includes 1 pair of DWD drawer sides, 1 set of full extension runners, 1 pair of adapter for wooden drawer back, 2pcs front fixing screw

DWD XP Pot & Pan Drawer (Square Railing)



CODE	NL(MM)	LOADING(KG)	COLOR	PRICE(RM)
ALUMINIUM METALLIC				
PPS1.AM	500	40	●	255
PPS2.AM	500	60	●	320
PPS3.AM	450	40	●	250
PPS4.AM	400	40	●	245
STONE				
PPS1.STO	500	40	●	255
PPS2.STO	500	60	●	320
PPS3.STO	450	40	●	250
PPS4.STO	400	40	●	245
CHAMPAGNE - While Stocks Last				
PPS1.CMP	500	40	●	255
PPS2.CMP	500	60	●	320

Set includes 1 pair of DWD drawer sides, 1 set of full extension runners, 1 pair of agantis square railing, 1 pair of adapter for wooden drawer back, 2pcs front fixing screw

DWD XP Pot & Pan Drawer (Round Railing)



CODE	NL(MM)	LOADING(KG)	COLOR	PRICE(RM)
ALUMINIUM METALLIC - While Stocks Last				
PPR1.AM	500	40	●	225
PPR2.AM	500	60	●	290
PPR3.AM	450	40	●	220
PPR4.AM	400	40	●	215
PPR5.AM	300	40	●	225

Set includes 1 pair of DWD drawer sides, 1 set of full extension runners, 1 pair of quick mount railing, 1 pair of adapter for wooden drawer back, 2pcs front fixing screw

DWD XP

VIONARO

TIMOS


NEXIS
CLICK ON

NEXIS
SLIDE ON

KINVARO

GRASS DWD XP DRAWER SYSTEM

DWD XP Double Railing Drawer (Square Railing)



CODE	NL(MM)	LOADING(KG)	COLOR	PRICE(RM)
ALUMINIUM METALLIC				
PPDS1.AM	500	40	●	295
PPDS2.AM	500	60	●	360
PPDS3.AM	450	40	●	290
PPDS4.AM	400	40	●	288
STONE				
PPDS1.STO	500	40	●	295
PPDS2.STO	500	60	●	360
PPDS3.STO	450	40	●	290
PPDS4.STO	400	40	●	288

Set includes 1 pair of DWD drawer sides, 1 set of full extension runners, 2 pairs of agantis square set railing, 1 pair of adapter for wooden drawer back, 2pcs front fixing screw


DWD XP Double Railing Drawer (Round Railing)



CODE	NL(MM)	LOADING(KG)	COLOR	PRICE(RM)
ALUMINIUM METALLIC - While Stocks Last				
PPDR1.AM	500	40	●	275
PPDR2.AM	500	60	●	340
PPDR3.AM	450	40	●	270
PPDR4.AM	400	40	●	268
PPDR5.AM	300	40	●	275

Set includes 1 pair of DWD drawer sides, 1 set of full extension runners, 2 pairs of quick mount railing, 1 pair of adapter for wooden drawer back, 2pcs front fixing screw

DWD XP Standard Internal Drawer (≤ 600mm)




CODE	NL(MM)	LOADING(KG)	COLOR	PRICE(RM)
ALUMINIUM METALLIC				
IS1.AM	500	40	●	312
IS2.AM	500	60	●	385
IS3.AM	450	40	●	310
IS4.AM	400	40	●	308
IS5.AM	300	40	●	312
STONE				
IS1.STO	500	40	●	312
IS2.STO	500	60	●	385
IS3.STO	450	40	●	310
IS4.STO	400	40	●	308
IS5.STO	300	40	●	312
CHAMPAGNE - While Stocks Last				
IS1.CMP	500	40	●	312
IS2.CMP	500	60	●	385

Set includes 1 pair of DWD drawer sides, 1 set of full extension runners, 1 pair of adapter for wooden drawer back, 1 pair of insert front bracket, 1pc of DWD insert front profile

GRASS DWD XP DRAWER SYSTEM

DWD XP Standard Internal Drawer (≤ 1,200mm)



CODE	NL(MM)	LOADING(KG)	COLOR	PRICE(RM)
ALUMINIUM METALLIC				
IS6.AM	500	40	●	380
IS7.AM	500	60	●	450
IS8.AM	450	40	●	376
IS9.AM	400	40	●	375
IS10.AM	300	40	●	380
STONE				
IS6.STO	500	40	●	380
IS7.STO	500	60	●	450
IS8.STO	450	40	●	376
IS9.STO	400	40	●	375
IS9.STO	300	40	●	380
CHAMPAGNE - While Stocks Last				
IS6.CMP	500	40	●	380
IS7.CMP	500	60	●	450

Set includes 1 pair of DWD drawer sides, 1 set of full extension runners, 1 pair of adapter for wooden drawer back, 1 pair of insert front bracket, 1pc of DWD insert front profile

DWD XP Pot & Pan Internal Drawer (≤ 600mm) (Square Railing)



CODE	NL(MM)	LOADING(KG)	COLOR	PRICE(RM)
ALUMINIUM METALLIC				
IPS1.AM	500	40	●	413
IPS2.AM	500	60	●	480
IPS3.AM	450	40	●	412
IPS4.AM	400	40	●	411
STONE				
IPS1.STO	500	40	●	413
IPS2.STO	500	60	●	480
IPS3.STO	450	40	●	412
IPS4.STO	400	40	●	411
CHAMPAGNE - While Stocks Last				
IPS1.CMP	500	40	●	413
IPS2.CMP	500	60	●	480

Set includes 1 pair of DWD drawer sides, 1 set of full extension runners, 1 pair of adapter for wooden drawer back, 1 pair of agantis square railing, 1 pair of insert front bracket, 1pc of DWD insert front profile

DWD XP Pot & Pan Internal Drawer (≤ 1,200mm) (Square Railing)



CODE	NL(MM)	LOADING(KG)	COLOR	PRICE(RM)
ALUMINIUM METALLIC				
IPS6.AM	500	40	●	492
IPS7.AM	500	60	●	555
IPS8.AM	450	40	●	490
IPS9.AM	400	40	●	488
STONE				
IPS6.STO	500	40	●	492
IPS7.STO	500	60	●	555
IPS8.STO	450	40	●	490
IPS9.STO	400	40	●	488
CHAMPAGNE - While Stocks Last				
IPS6.CMP	500	40	●	492
IPS7.CMP	500	60	●	555

Set includes 1 pair of DWD drawer sides, 1 set of full extension runners, 1 pair of adapter for wooden drawer back, 1 pair of agantis square railing, 1 pair of insert front bracket, 1pc of DWD insert front profile

DWD XP

VIONARO

TIMOS

NEXIS
CLICK ON

NEXIS
SLIDE ON

KINVARO

GRASS DWD XP DRAWER SYSTEM

DWD XP Pot & Pan Internal Drawer (≤ 600mm) (Round railing)



CODE	NL(MM)	LOADING(KG)	COLOR	PRICE(RM)
ALUMINIUM METALLIC - While Stocks Last				
IPR1.AM	500	40	●	355
IPR2.AM	500	60	●	420
IPR3.AM	450	40	●	352
IPR4.AM	400	40	●	351
IPR5.AM	300	40	●	355

Set includes 1 pair of DWD drawer sides, 1 set of full extension runners, 1 pair of adapter for wooden drawer back, 1 pair of quick mount railing, 1 pair of insert front bracket, 1pc of DWD insert front profile


DWD XP Pot & Pan Internal Drawer (≤ 1,200mm) (Round railing)




CODE	NL(MM)	LOADING(KG)	COLOR	PRICE(RM)
ALUMINIUM METALLIC - While Stocks Last				
IPR6.AM	500	40	●	465
IPR7.AM	500	60	●	530
IPR8.AM	450	40	●	462
IPR9.AM	400	40	●	461
IPR10.AM	300	40	●	465

Set includes 1 pair of DWD drawer sides, 1 set of full extension runners, 1 pair of adapter for wooden drawer back, 1 pair of quick mount railing, 1 pair of insert front bracket, 1pc of DWD insert front profile


GRASS DWD XP Magic Sorto Set



	COLOR	PRICE(RM)
ALUMINIUM METALLIC - While Stocks Last		
Magic Sorto Set B3 for NL 500mm Drawer	●	450
Magic Sorto Set B4 for NL 500mm Drawer	●	550
CHAMPAGNE - While Stocks Last		
Magic Sorto Set B3 for NL 500mm Drawer	●	450




Magic Sorto set NL 500 B3
Consisting of:
 3 trays 270 x 90 mm
 3 trays 180 x 90 mm
 1 space bar 270 mm
 1 spring-loaded divider rail



Magic Sorto set NL 500 B4
Consisting of:
 4 trays 270 x 90 mm
 4 trays 180 x 90 mm
 1 space bar 360 mm
 1 spring-loaded divider rail

GRASS DWD XP DRAWER SYSTEM - Accessories

Magic Optima Dividing Set (for Square Railing)




	COLOR	PRICE(RM)
Magic Optima Smartboard Dividing Set for Square Railing 1,200mm	  	330
Magic Optima Smartboard Dividing Set for Square Railing 600mm	  	244
Extra Smartboard	  	66

Set includes 1 pc Magic Optima Profile Fixing, 2pc Magic Optima Agantis Holder & 2pc magic Optima Smartboard

Magic Optima Dividing Set (for Round Railing)

While Stocks Last




	COLOR	PRICE(RM)
Magic Optima Smartboard Dividing Set for Round Railing 1,200mm		305
Magic Optima Smartboard Dividing Set for Round Railing 600mm		225
Extra Smartboard		66

Set includes 1pc Magic Optima Profile Fixing, 2pc Magic Optima Round Railing Holder & 2pc magic Optima Smartboard

Magic Optima + Duowing

While Stocks Last




	COLOR	PRICE(RM)
Magic Optima with solowing 1,200mm		350
Magic Optima with Solowing 600mm		315
Extra Smartboard		66

Set includes 1pc Magic Optima Profile Fixing, 2pc Magic Optima & Profile Fixing (Solowing / Duowing), 2pc magic Optima Smartboard & 1 pair Duowing Add-on System 500mm

Magic Optima + Solowing

While Stocks Last



	COLOR	PRICE(RM)
Magic Optima with solowing 1,200mm		340
Magic Optima with Solowing 600mm		305
Extra Smartboard		66

Set includes 1pc Magic Optima Profile Fixing, 2pc Magic Optima Profile Fixing (Solowing / Duowing), 2pc magic Optima Smartboard, Profile Fixing (Solowing / Duowing) & Solowing, 1 pair Solowing Add-on System 500mm

DWD XP

VIONARO

TIOMOS

NEXIS
CLICK ON

NEXIS
SLIDE ON

KINVARO


GRASS DWD XP DRAWER SYSTEM - Accessories

Magic Dividing Set + Duowing While Stocks Last



	COLOR	PRICE(RM)
Magic Dividing Set for Cabinet with duowing 1,200mm	●	240
Magic Dividing Set for Cabinet with duowing 600mm	●	190

Magic Dividing Set + Solowing While Stocks Last



	COLOR	PRICE(RM)
Magic Dividing Set for Cabinet with solowing 1,200mm	●	230
Magic Dividing Set for Cabinet with solowing 600mm	●	180

Steel Drawer Back (H=86) While Stocks Last



	PRICE(RM)
Steel Drawer Back 300mm	12.50
Steel Drawer Back 400mm	13.00
Steel Drawer Back 450mm	13.50
Steel Drawer Back 500mm	14.00
Steel Drawer Back 600mm	14.50
Steel Drawer Back 800mm	18.00
Steel Drawer Back 900mm	19.00
Steel Drawer Back 1000mm	20.00
Steel Drawer Back 1200mm	35.00

High Steel Drawer Back (H=182mm) While Stocks Last



	PRICE(RM)
High Steel Drawer Back 300mm	15.00
High Steel Drawer Back 400mm	23.50
High Steel Drawer Back 450mm	24.00
High Steel Drawer Back 500mm	25.00
High Steel Drawer Back 600mm	26.00
High Steel Drawer Back 800mm	30.00
High Steel Drawer Back 900mm	32.00
High Steel Drawer Back 1000mm	40.00
High Steel Drawer Back 1200mm	50.00



Installation &
Specification



VIONARO DRAWER SYSTEM

Vionaro is a source of inspiration for living trends.

When you open the innovative Vionaro drawer system, you are standing in front of a movement system vision that has come to life. Two purist twin wall drawer sides made of steel, a back panel and a front. That's it.

It's hard to imagine more lightness and awareness. It means that furniture design can be reinvented every day.

Sensual surfaces. Breathtaking linearity. Technology that has proven its worth millions of times over. Vionaro sparks the enthusiasm of designers and end users alike.



GRASS VIONARO DRAWER SYSTEM


Vionaro Standard Drawer (H89mm)



CODE	NL(MM)	LOADING(KG)	COLOR	PRICE(RM)
Graphite				
VS1.G	500	40	●	290
VS2.G	500	70	●	350
VS3.G	450	40	●	285
VS4.G	400	40	●	280

Set includes 1 pair of Vionaro drawer wall sides, 1 pair of Dynapro full extension runners, 1 set of Vionaro accessory kit


Vionaro Pot drawer (H185mm)



CODE	NL(MM)	LOADING(KG)	COLOR	PRICE(RM)
Graphite				
VP1.G	500	40	●	375
VP2.G	500	70	●	440
VP3.G	450	40	●	370
VP4.G	400	40	●	365

Set includes 1 pair of Vionaro drawer wall sides, 1 pair of Dynapro full extension runners, 1 set of Vionaro accessory kit

Vionaro Standard Internal Drawer (H89mm) (≤ 600mm)




CODE	NL(MM)	LOADING(KG)	COLOR	PRICE(RM)
Graphite				
IVS1.G	500	40	●	440
IVS2.G	500	70	●	510
IVS3.G	450	40	●	438
IVS4.G	400	40	●	435

Set includes 1 pair of vionaro drawer wall sides, 1 pair of dynapro full extension runners, 1 set of Vionaro internal drawer accessory kit, 1pc of Vionaro insert drawer front panel

GRASS VIONARO DRAWER SYSTEM


Vionaro Standard Internal Drawer (H89mm) (≤ 1,200mm)



CODE	NL(MM)	LOADING(KG)	COLOR	PRICE(RM)
Graphite				
IVS6.G	500	40	●	495
IVS7.G	500	70	●	555
IVS8.G	450	40	●	490
IVS9.G	400	40	●	486

Set includes 1 pair of Vionaro drawer wall sides, 1 pair of Dynapro full extension runners, 1 set of Vionaro internal drawer accessory kit, 1pc of Vionaro insert drawer front panel


Vionaro Pot Internal Drawer (H185mm) (≤ 600mm)



CODE	NL(MM)	LOADING(KG)	COLOR	PRICE(RM)
Graphite				
IVP1.G	500	40	●	535
IVP2.G	500	70	●	595
IVP3.G	450	40	●	530
IVP4.G	400	40	●	525

Set includes 1 pair of Vionaro drawer wall sides, 1 pair of Dynapro full extension runners, 1 set of Vionaro internal drawer accessory kit, 1pc of Vionaro insert drawer front panel

Vionaro Pot Internal Drawer (H185mm) (≤ 1,200mm)



CODE	NL(MM)	LOADING(KG)	COLOR	PRICE(RM)
Graphite				
IVP6.G	500	40	●	710
IVP7.G	500	70	●	770
IVP8.G	450	40	●	705
IVP9.G	400	40	●	700

Set includes 1 pair of Vionaro drawer wall sides, 1 pair of Dynapro full extension runners, 1 set of Vionaro internal drawer accessory kit, 1pc of Vionaro insert drawer front panel

DWD XP

VIONARO

TIMOS


NEXIS
CLICK ON

NEXIS
SLIDE ON

KINVARO


GRASS VIONARO DRAWER SYSTEM - ACCESSORIES

Tavinea Optima Smart Board Set



	COLOR	PRICE(RM)
Tavinea Optima Smart Board Divider Set 1,200mm	●	263
Tavinea Optima Smart Board Divider Set 600mm	●	189
Extra Smart Board	●	36
Set includes 2pc Smart Board, 2pc Tavinea Optima Profile Clip, 1 pc Tavinea Optima Divider Profile 1108mm (cut to length)		

Tavinea Horizontal Divider Railing



	COLOR	PRICE(RM)
Tavinea Horizontal Divider Railing 1,200mm	●	96
Tavinea Horizontal Divider Clip (L&R)	●	52

Tavinea Sorto Vertical Divider Rail



N/L(MM)	COLOR	PRICE(RM)
500	●	85

Tavinea Sorto B186




N/L(MM)	COLOR	PRICE(RM)
500	●	281

Tavinea Sorto B276



N/L(MM)	COLOR	PRICE(RM)
500	●	364

Knife Block



N/L(MM)	COLOR	PRICE(RM)
500	● ●	571

Spice Rack



N/L(MM)	COLOR	PRICE(RM)
500	● ●	251

Foil holder



N/L(MM)	COLOR	PRICE(RM)
500	● ●	571

VIONARO ORGANISING SYSTEMS - APPLICATION EXAMPLE

Description			
1	2	3	4
KB 450			
KB 600			
KB 900			
KB 1200			

DWD XP

VIONARO

TIMOS

NEXIS
CLICK ON

NEXIS
SLIDE ON

KINVARO

GRASS UNDERMOUNT DRAWER RUNNER & ACCESSORIES

Grass Dynapro 3D Undermount Runner




CODE	NL(MM)	LOADING(KG)	PRICE(RM)
DP.600.70	600	70	295
DP.550.70	550	70	272
DP.500.70	500	70	250
DP.500.40	500	40	198
DP.450.40	450	40	194
DP.400.40	400	40	192
DP.300.40	300	40	200

While Stocks Last

Set includes 1 pair of Dynapro runners, and 1 set of front locking device, 1 pair of adjustment adaptors


Dynapro Tipmatic Soft Close Set



CODE	PRICE(RM)
DPTS Dynapro Tipmatic Softclose Set	199

Set includes 1 set of Tipmatic Softclose set (L&R) and 1 pc synchronisation rod for Tipmatic Softclose 952mm (cut to size)

Grass Dynamoov 1D Undermount Runner



CODE	NL(MM)	LOADING(KG)	PRICE(RM)
DM400.30	400	30	154
DM350.30	350	30	154
DM.300.30	300	30	154

Set includes 1 pair of Dynamoov runners, and 1 set of front locking device

GRASS SENSOMATIC OPENING SYSTEM (Excluding Drawer System)

ELECTRO-MECHANICAL OPENING SYSTEM

Cabinet height (Internal 750mm or less)





SENSOMATIC OPENING SYSTEM

Lightly tapping or pulling is enough and the drawers open as if by magic.

QUALITY CERTIFICATE
LGA

	2 drawer (unit)	3 drawer (unit)
Sensomatic Frame Sides 750mm (Item 2)	x1	x1
Sensomatic Power Supply Unit (Item 5)	x1	x1
Sensomatic Power Cord w/o Plug (Item 7)	x1	x1
Sensomatic Fixing Set	x1	x1
- 2pcs Top & Bottom Fixing Bracket (Item 4)		
- 2pcs Frame Connector (Item 3)		
Sensomatic Opening Unit (Item1)	x2	x3
Sensomatic Connection Cable 1000mm (Item 6)	x1	x1
Sensomatic Spring Loaded Front Buffers (Item 8)	x8	x10
	RM 2,726	RM 3,293



DWD XP

VIONARO

TIMOS

NEXIS
CLICK ON

NEXIS
SLIDE ON

KINVARO



TIOMOS

Soft-close inside.

The whole damper technology is concealed within the hinge arm.

QUALITY CERTIFICATE
LGAD

Three levels for individual comfort.

In addition to its many special functions, timeless design and unique character, Tiomos offers stepwise adjustment of the damping level. The action of the Soft-close damper can be easily adjusted to individual requirements – a turn of the lever is all that is needed.




Tiomos hinges leave the factory with the adjustment lever in the horizontal position.




For stronger damping action, turn the adjustment lever by 90° to the right.



For a gentler closing action, the adjustment lever of the Soft-close damper is turned to the left by 90°.






Tiomos Clip-on 110°

- Opening angle 110°
- Door thicknesses up to 24mm
- Set includes hinge & mounting plate



CODE	DESCRPITION	PRICE(RM)
T110.1	Tiomos 110° (3CR), Set	18.60
T110.2	Tiomos 110° (3CR) (w/o Spring), Set	15.15
T110.3	Tiomos 110° (3CR) (w/o Damper), Set	14.10
T110.4	Tiomos 110° (3CR), Night, Set*	38.60
T110.5	Tiomos 110° Half Overlay (9.5CR), Set	21.90

* Set comes with straight mounting plate



Tiomos Clip-on 160°

- Opening angle 160°
- Door thicknesses up to 32mm
- Set includes hinge & mounting plate



CODE	DESCRPITION	PRICE(RM)
T160.1	Tiomos 160° (3CR), Set	38.60
T160.2	Tiomos 160° (3CR) (w/o Spring), Set	36.00
T160.3	Tiomos 160° (3CR), Night, Set*	68.00

* Set comes with straight mounting plate



Tiomos Clip-on 95°

- Opening angle 95°
- Door thicknesses up to 28mm
- Set includes hinge & mounting plate



CODE	DESCRPITION	PRICE(RM)
T95.1	Tiomos 95° (3CR), Set	25.70
T95.2	Tiomos 95° (3CR) (w/o Spring), Set	22.10
T95.3	Tiomos 95° (3CR) (w/o Damper), Set	20.75
T95.4	Tiomos 95° (3CR), Night, Set*	45.50
T95.5	Tiomos 95° Half Overlay (9.5CR), Set	37.90

* Set comes with straight mounting plate




Tiomos Clip-on 110° AL

- Opening angle 110°
- Aluminium frame thickness of up to 24 mm and a frame width of 22 mm
- Set includes hinge & mounting plate



CODE	DESCRPITION	PRICE(RM)
T110.AL	Tiomos 110° AL (3CR), Set	42.20




Tiomos Clip-on 110° M9

- Opening angle 110°
- Door thicknesses up to 28mm
- Suitable for mitre joint application
- Set includes hinge & mounting plate
- Low cup depth of 9mm



CODE	DESCRPITION	PRICE(RM)
T110.M9	Tiomos 110° M9, Set	56.00



TIOMOS

NEXIS
CLICK ON

NEXIS
SLIDE ON

DWD XP

VIONARO

KINVARO



NEXIS CLIP-ON


The trick with the click makes it possible to fit furniture doors to cabinet quickly and, above all, without tools.

QUALITY CERTIFICATE
LGA



Clip-on and ready: one click and the hinge engages audibly in the mounting plate.

Nexis Clip-on hinges are fixed to mounting plates. Installation is user-friendly and reliable. Just pressing down the hinge with the finger is enough to engage it in the mounting plate with an audible click. The hinge can be detached from the Clip-on mounting plate simply by unlocking it.






Nexis CS Clip-on 110°

- Opening angle 110°
- Door thicknesses up to 24mm
- Set includes hinge & mounting plate

CODE	DESCRPITION	PRICE(RM)
CS110.1	Nexis CS 110' (OCR), Set	8.25
CS110.2	Nexis CS 110' (OCR) (w/o Spring), Set	8.70
CS110.3	Nexis CS 110' Half Overlay (8Cr), Set	8.50



Nexis CS Clip-on 170°

- Opening angle 170°
- Door thicknesses up to 26mm
- Set includes hinge & mounting plate

CODE	DESCRPITION	PRICE(RM)
CS170.1	Nexis CS 170' (OCR), Set	24.00
CS170.2	Nexis CS 170' (OCR) (w/o Spring), Set	24.50



Nexis CS Clip-on 95°

- Opening angle 95°
- Door thicknesses up to 30mm
- Set includes hinge & mounting plate

CODE	DESCRPITION	PRICE(RM)
CS95.1	Nexis CS 95' (OCR), Set	10.50
CS95.2	Nexis CS 95' (OCR) (w/o Spring), Set	10.90



Nexis CS Clip-on 95°/+30°

- Opening angle 95°
- Door thicknesses up to 30mm
- For 30° angled cabinets
- Set includes hinge & mounting plate

CODE	DESCRPITION	PRICE(RM)
CS95.3	Nexis CS 95' +30 (OCr), Set	13.65



Nexis Clip-on 100°

- Opening angle 100°
- Door thicknesses up to 24mm
- Set includes hinge & mounting plate

CODE	DESCRPITION	PRICE(RM)
CS100.1	Nexis CS 100' (15Cr), Set	8.25
CS100.2	Nexis CS 100' (15Cr) (w/o Spring), Set	7.65



Nexis CS Clip-on 125°/-24°

- Opening angle 125°
- Door thicknesses up to 19mm
- Set includes hinge & mounting plate

CODE	DESCRPITION	PRICE(RM)
CS125.1	Nexis CS 125 -24, Set	19.65



Nexis CS Clip-on 95° AL

- Opening angle 95°
- Door thicknesses up to 30mm
- Set includes hinge & mounting plate

CODE	DESCRPITION	PRICE(RM)
CS95.AL	Nexis CS 95' AL, Set	17.65

DWD XP

VIONARO

TIOMOS

NEXIS
CLICK ON

NEXIS
SLIDE ON

KINVARO



NEXIS SLIDE-ON


Efficient and reliable,
Slide-on technology for numerous
tried-and-tested applications.

QUALITY CERTIFICATE
LGA

Nexis Slide-on has been designed for many different ways of hanging doors for kitchen, bathroom and living room furniture. Reliable automatic hinges with a broad range and opening angles from 95° to 270° for everyday, long-term usage. Nexis Slide-on offers hinges for many specialised applications, such as rebated doors or protruding posts.

On the door side, this hinge series is fixed with screws and knock-in dowels.

The advantages of the short Slide-on paths are clear: Nexis Slide-on hinges can be fitted fast and securely on high doors, one by one, from top to bottom, without any problem with jamming.






Nexis SSP 110° Slide-on

- Opening angle 110°
- Door thicknesses up to 24mm
- Set includes hinge & mounting plate

CODE	DESCRPITION	PRICE(RM)
SSP110.1	Nexis SSP 110° (0CR), Set	6.50
SSP110.2	Nexis SSP 110° Half Overlay (8CR), Set	8.65



Nexis SSP 170° Slide-on

- Opening angle 170°
- Door thicknesses up to 26mm
- Set includes hinge & mounting plate

CODE	DESCRPITION	PRICE(RM)
SSP170.1	Nexis SSP 170° (0Cr), Set	23.65



Nexis SSP 95° Slide-on

- Opening angle 95°
- Door thicknesses up to 30mm
- Set includes hinge & mounting plate

CODE	DESCRPITION	PRICE(RM)
SSP95.1	Nexis SSP 95° (8Cr), Set	10.15
SSP95.2	Nexis SSP 95° Inset (15Cr), Set	11.15



Nexis SSP 95° Blind Corner Slide-on

- Opening angle 95°
- Door thicknesses up to 30mm
- Blind corner hinge
- Set includes hinge & mounting plate

CODE	DESCRPITION	PRICE(RM)
SSP95.3	Nexis SSP 95° Blind Corner (4Cr), Set	21.65



Nexis SSP 95° CUP 40mm Slide-on

- Opening angle 95°
- Door thicknesses up to 36mm
- ø40mm hinge cup
- Set includes hinge & mounting plate

CODE	DESCRPITION	PRICE(RM)
SSP95.4	Nexis SSP 95° 40MM Half Overlay (8Cr), Set	13.65



Nexis SSP 95° +45 Slide-on

- Opening angle 95°
- Door thicknesses up to 30mm
- For 45° angled cabinets
- Set includes hinge & mounting plate

CODE	DESCRPITION	PRICE(RM)
SSP95.5	Nexis SSP 95° +45, Set	18.65

DWD XP

VIONARO

TIOMOS

NEXIS
CLICK ON

NEXIS
SLIDE ON

KINVARO



Nexis SSP 95°+30 Slide-on

- Opening angle 95°
- Door thicknesses up to 30mm
- For 30° angled cabinets
- Set includes hinge & mounting plate


CODE	DESCRPITION	PRICE(RM)
SSP95.6	Nexis SSP 95' +30, Set	18.65



Nexis SSP 125° Slide-on

- Opening angle 125°
- Door thicknesses up to 19mm
- Set includes hinge & mounting plate

CODE	DESCRPITION	PRICE(RM)
SSP125.1	Nexis SSP 125' (0Cr), Set	7.65




Nexis SSP 270° Slide-on

- Opening angle 270°
- Door thicknesses from 15 to 21mm
- Set includes hinge & mounting plate

CODE	DESCRPITION	PRICE(RM)
SSP270.1	Nexis SSP 270' (0Cr), Set	17.65



SPECIAL AND MIRROR HINGES



Nexis SSP 95° Glass Slide-on

- Opening angle 95°
- Glass thicknesses 4 to 6mm
- Ø26mm hinge cup
- Set includes hinge & mounting plate

CODE	DESCRPITION	PRICE(RM)
SSP95.GL1	Nexis SSP 95' (OCR) Glass,Set	8.65
SSP95.GL2	Nexis SSP 95' (8CR) Half Overlay Glass,Set	9.65
SSP95.GL3	Nexis SSP 95' (15CR) Inset Glass,Set	10.65
	Fancy Cover - Nickel	8.00
	Round Fancy Cover - Black	2.80



Nexis CS128° Glass Clip-on

- Opening angle 128°
- Fix by gluing stainless steel adapter to door
- Use cam to connect hinge to the adapter
- Set includes hinge & mounting plate


CODE	DESCRPITION	PRICE(RM)
CS128.GL1	Nexis CS 128' Glass, Set	26.65
CS128.GL2	Nexis CS 128' Glass (w/o Spring), Set	26.65
SC.GL	CS128' Glass Soft Close	21.70
	CS128' Adapter	4.60



Flap Hinge : 90° Hinge with 35 mm Cup

- Opening angle 90°
- Door thicknesses up to 20mm
- Set includes hinge & mounting plate

CODE	DESCRPITION	PRICE(RM)
FLAP.90	Flap Hinge 90'	18.00






Nexis 180° Glass




- Opening angle 180°
- Door glass thicknesses from 4 to 6mm
- Set includes hinge & mounting plate

CODE	DESCRPITION	PRICE(RM)
SSP180.GL	Nexis SSP 180 Glass	17.00
	Handle for Glass Door Hinge	8.60









TIOMOS HINGE ACCESSORIES

		PRICE(RM)
	Tiomos Eco Cross Mounting Plate 2H	2.50
	Tiomos Eco Cross Mounting Plate 2H (Pre-Assembled Euro Screws)	2.90
	Tiomos Straight Mounting Plate 2H	5.25
	Tiomos Straight Mounting Plate 2H, Night	7.50

		PRICE(RM)
	Tiomos Hinge Cup Cover Cap	1.70
	Tiomos Arm Cover Cap	0.75
	Tiomos Hinge Reduction Clip 85°	2.75

NEXIS MOUNTING PLATE & ACCESSORIES

		PRICE(RM)
	Soft Close for Nexis CS & SSP Hinges 95° - 125°	10.00
	Soft Close for Nexis CS & SSP Hinges 170°	14.00
	Nexis CS Mounting Plate 0H (Wood Screw Fixing)	1.65
	Nexis CS Mounting Plate 0H	1.65
	Nexis SSP Mounting Plate 0H	1.65
	Nexis SSP Mounting Plate 2H	1.65
	Nexis SSP Mounting Plate 4H	1.65

		PRICE(RM)
	Nexis CS and SSP Hinge Cup Cover Cap	1.10
	Nexis CS Arm Cover Cap	0.90
	Tipmatic pin for wooden and aluminium doors	33.00
	Soft-close for ACC for Aluminium Frame door (for 40mm frame)	26.80
	Soft-close for ACC for Aluminium Frame door (for 20mm frame)	26.80
	120° Opening Angle Reduction Clip	0.50



KINVARO

FLAP SYSTEMS

Modern design, innovative technology and functional movement comfort for wall cabinets

Whether high-gloss, wood or aluminium frames - the Kinvaro flap systems not only look good, they also provide limitless design freedom.

And the inner values are irresistible too: a gentle tap or pull is all it takes to set the flaps gently in motion. They seem to glide upwards almost weightlessly. The closing operation is also particularly comfortable.

Installation & Specification



With Soft-close, the integrated damping system, each movement becomes an experience. Soft-close gently slows the movement of the front and pulls it to the fully closed position. It is no surprise therefore, that Soft-close has become the benchmark.

Kinvaro F-20 Folding Flap Fitting



- Holds flap securely in any position
- Extremely smooth movement
- Adjustable spring force
- Integrated adjustable closing damper
- Flap with 3-dimensional adjustment –
+vheight, side, angle: Direct adjustment $\pm 1.5\text{mm}$
- 3-dimensional reveal height, side, depth adjustment: Direct adjustment
- Opening limiter adjustable to 90°
- Wide range of applications for many different flap materials
- Fast, tool-free clip fitting of the front
- Pre-assembled Euro screws and positioning pins for easy fixture of the fitting to the side wall
- Extremely strong
- Weight 6.5 to 18.0kg
- Range of flaps: Width: 400 – 1200 mm. Height: 700 – 800mm

	CABINET HEIGHT (MM)	WEIGHT	PRICE(RM)
Kinvaro F20 Type 6 Spring C	700-749	(6.5-16.4kg)	720
Kinvaro F20 Type 6 Spring D	700-749	(10.0 - 18.0kg)	790
Kinvaro F20 Type 7 Spring C	750-800	(6.0 - 15.6kg)	720
Kinvaro Aluminium Small Frame Adapter - For F20			20

Kinvaro L-80 Parallel Lift Flap Fitting



- Holds flap securely in any position
- Extremely smooth movement
- Adjustable spring force
- Integrated adjustable closing damper
- Flap 3-dimensionally adjustable –
height,side, angle: direct adjustment $\pm 1.5\text{mm}$
- Allows the use of cornices, pelmets and attached lights
- Fast, tool-free clip fitting of the front
- Pre-assembled Euro screws and positioning pins for easy fixture of the fitting to the side wall
- Extremely strong
- Weight 4.0 to 14.6kg
- Range of flaps: Width: 450 – 1200mm, Height: 430 – 600mm

	CABINET HEIGHT (MM)	WEIGHT	PRICE(RM)
Kinvaro L80 Type 5 Spring B	430-600	(4.0-7.5kg)	775
Kinvaro L80 Type 5 Spring C	430-600	(7.0 - 14.6kg)	775

Calculation of flap weight

Flap width x flap height x flap thickness x density¹ + weight of handle² = weight of flap

¹ Densities: MDF 0.85 kg/dm³, chipboard 0.65 kg/dm³ spruce/pine 0.45 kg/dm³

² For bar handles allow 0.1kg for each 100mm handle width. We recommend a trial fitting

Kinvaro T-105 Flap Stay



- Variable opening angle, holds flaps securely from 45° to 105°
- Spring-supported opening function
- Convenient access, flap lifts clear of the work area
- Suitable for wooden doors and aluminium frames with glass infill
- Allows additional cabinet installation above
- Maintenance-free, no readjustment required
- High-quality zinc diecasting, nickel-plated
- Range of flaps: Width: up to 1200 mm, Height: 250 – 500 mm

APPLICATION RANGE		
Cabinet Height	Number of flap stays	Spring. standard (kg)
250	1	1.4 - 4.4
	2	3.4 - 8.9
300	1	1.6 - 4.3
	2	3.2 - 8.6
350	1	1.3 - 4.1
	2	2.6 - 8.1
400	1	1.3 - 3.4
	2	2.6 - 6.8
450	1	1.2 - 3.0
	2	2.4 - 6.1
500	1	1.1 - 2.9
	2	2.2 - 5.8
PRICE(RM)		
Kinvaro T105 for wood - Left		76
Kinvaro T105 for wood - Right		76

Kinvaro S-35 Up-and-Over Flap Fitting



- Securely holds flap in any position from 45° opening angle
- Extremely smooth movement
- Adjustable spring force
- Integrated adjustable closing damper
- Flap with 3-dimensional adjustment – height, side, angle: Direct adjustment $\pm 1.5\text{mm}$
- Allows the use of cornices, pelmets and attached lights
- Wide range of applications for many different flap materials
- Fast, tool-free clip fitting of the front
- Pre-assembled Euro screws and positioning pins for easy fixture of the fitting to the side wall
- Extremely strong
- Weight 4.5 to 16.0kg
- Range of flaps: Width: 450 – 1200mm, Height: 420 – 750mm

APPLICATION RANGE		
Cabinet Height	Flap weight incl. handle (kg)	
	Spring B	Spring D
420 - 449	5.0 - 11.0	
450 - 479	5.0 - 12.0	
480 - 509	5.0 - 12.5	
510 - 539	5.0 - 13.0	
540 - 569	5.0 - 12.5	
570 - 599	5.0 - 11.0	11.5 - 14.5
600 - 629	4.5 - 10.0	10.5 - 15.5
630 - 659		8.5 - 16.0
660 - 689		7.5 - 15.0
690 - 719		6.5 - 13.5
720 - 750		6.5 - 12.5
PRICE(RM)		
Kinvaro S35 Spring B		710
Kinvaro S35 Spring D		725
Kinvaro Aluminium Small Frame Adapter for Type S		25

Calculation of flap weight

Flap width x flap height x flap thickness x density¹ + weight of handle² = weight of flap

¹ Densities: MDF 0.85 kg/dm³, chipboard 0.65 kg/dm³, spruce/pine 0.45 kg/dm³

² For bar handles allow 0.1kg for each 100mm handle width. We recommend a trial fitting

DWD XP

VIONARO

TIMOS

NEXIS
CLICK ON

NEXIS
SLIDE ON

KINVARO

Kinvaro T-70 Lift-up Flap Fitting For Wood While Stocks Last



- Variable opening angle - holds flap securely at any angle between 45° and 110°
- Extremely comfortable opening thanks to spring-supported opening mechanism
- Adjustable spring force
- Integrated adjustable closing damper
- Adjustable flap height $\pm 2.0\text{mm}$
- No hinges fitted to the top panel
- Allows additional cabinet installation above
- Can be used for wooden flaps or aluminium frames with glass infill
- Weight 1.4 to 8.5kg
- Range of flaps: Width: up to 1200mm, Height: 300 – 600mm

APPLICATION RANGE	
Cabinet Height	Flap weight incl. handle (kg)
	Spring. orange
300	2.5 - 8.5
350	2.3 - 7.5
400	2.1 - 6.8
450	2.0 - 5.8
500	1.8 - 5.0
550	1.6 - 4.6
600	1.4 - 4.2
PRICE(RM)	

Kinvaro T70 for wood

250

Kinvaro T-75 Lift-Up Flap Fitting for Wood



- Variable opening angle - holds flap securely at any angle between 45° and 110°
- Extremely comfortable opening thanks to spring-supported opening mechanism
- Adjustable spring force
- Integrated adjustable closing damper
- Adjustable flap height $\pm 2.0\text{mm}$
- No hinges fitted to the top panel
- Allows additional cabinet installation above
- Can be used for wooden flaps or aluminium frames with glass infill
- Weight 5.2 to 11.0kg
- Range of flaps: Width: up to 1200mm, Height: 400 – 600mm

APPLICATION RANGE	
Cabinet Height	Flap weight incl. handle (kg)
	Spring. standard
400	7.0 - 11.0
450	6.7 - 9.6
500	5.8 - 8.5
550	5.6 - 7.6
600	5.2 - 7.0
PRICE(RM)	

Kinvaro T75 for wood

257

Calculation of flap weight

Flap width x flap height x flap thickness x density¹ + weight of handle² = weight of flap

¹ Densities: MDF 0.85 kg/dm³, chipboard 0.65 kg/dm³, spruce/pine 0.45 kg/dm³

² For bar handles allow 0.1kg for each 100mm handle width. We recommend a trial fitting



G*GRASS®

»Movement creates mobility – and mobility can set a lot of things in motion. This simple principle reflects the philosophy behind our products.«



BEAUFIX FITTINGS SDN BHD (1238063-V)
(A member of Beaufix group)

(Headquater)
68, Jalan TSB 9, Kota Damansara,
47000 Petaling Jaya, Selangor, Malaysia.
T +603-6156 6888
F +603-6156 1818
E enquiry@beaufix.com
W www.beaufix.com

BEAUFIX (PENANG) SDN BHD
No.9-B, Jones Road
Pulau Tikus 10250, Penang
T +604-226 9708
F +604-2278325

BEAUFIX (JB) SDN BHD
1&2 Jalan Meranti Satu,
Taman Meranti, Bt 3 1/4, Jalan Bakri
84000 Muar, Johor
T +606-986 9686 (HUNTING LINE)
F +606-951 0491

BEAUFIX (TIMUR) SDN BHD
B-284 & 286, Jalan Datuk Lim Hoe Lek,
25200 Kuantan, Pahang D.M
T +609-513 2233
F +609-513 3155
+609-515 6230

